

Dehumidifier


Commercial Portable Dehumidifier

Products features

1. Dehumidifier for construction site and drying after water damage
2. Ability to extract high of 60/90/120/138L per 24H max(Depend on the model)
3. 1-24 hour timer switch
4. Easy to carry with adjustable handle and large wheels
5. Large LED display, easy to operate
6. Automatic defrost to protect the machine
7. Smart structure, easy maintenance
8. Temperature, humidity, defrost displayed , water full alarm function
9. Automatically ON/OFF follow the humidity. Data setting memory.



Application area:



Flood restoration、Garage、Construction site、Swimming pool、Warehouse

Commercial Portable Dehumidifier

Model	EGYCM-60C	EGYCM-90C	EGYCM-120C	EGYCM-138C
Power supply	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Capacity(@30℃,80%)	60L/D	90L/D	120L/D	138L/D
Max.power	0.78KW	1.35KW	1.53W	1.68KW
Max.current	3.5A	6.2A	7.3A	7.6A
Air flow	480m³/h	1000m³/h	1300m³/h	1300m³/h
Refrigerant	R410A/R290	R410A/R290	R410A/R290	R410A/R290
Drainage	7.5L Water tank+drain hose	Drain hose	Drain hose	Drain hose
Operating temp.	5-38℃	5-38℃	5-38℃	5-38℃
Body size	398*386*700mm	460*360*840mm	540*440*980mm	540*440*980mm
Packing size	550*520*770mm	623*530*880mm	710*580*1050mm	710*580*1050mm
Net weight	33kg	38kg	48g	50kg
Gross weight	38kg	44kg	57kg	60kg
Picture				